



Prescriber Signature: \_

## ULTOMIRIS (RAVULIZUMAB-CWVZ) PATIENT REFERRAL AND PRESCRIPTION SHEET

ODIOWING (NAVOLIZOWAD CWVZ) I ATIENT REFERENCE AND I RESCRITTION SHEET						
Patient Information						
Patient Name:			Date:	Date:		
DOB:			Height:		☐ inches ☐ cm	
Allergies:			Weight:		☐ lbs ☐ kg	
Primary Diagnosis						
Diagnosis	ICD-10	Diagnosis ICD-10				
☐ Paroxysmal Nocturnal Hemoglobinuria	D59.5	☐ Generalized Myasth	henia Gravis		G70.00	
☐ Atypical Hemolytic Uremic Syndrome	D59.39	☐ Neuromyelitis Opti	ca Spectrum Disorder		G36.0	
☐ Other:						
Medication Order						
Loading Dose  ☐ Infuse 2400mg IV x 1 dose (pt weight 40-59kg) ☐ Infuse 2700mg IV x 1 dose (pt weight 60-99kg) ☐ Infuse 3000mg IV x 1 dose (pt weight ≥100kg) ☐ Other  Maintenance Dose ☐ Infuse 3000 mg IV every 8 weeks after loading dose (pt weight 40-59kg) ☐ Infuse 3300 mg IV every 8 weeks after loading dose (pt weight 60-99kg) ☐ Infuse 3600mg IV every 8 weeks after loading dose (pt weight ≥100kg) ☐ Other  Nursing Orders  Skilled nursing visit for clinical assessment, administration of medication. Initiate plan of tre maintain access device as indicated in Ancillary Orders. Remove peripheral IV or access from						
Ancillary Orders						
□ Diphenhydramine: 25mg PO 30 min pre-infusion □ Acetaminophen: 650mg PO 30 min pre-infusion □ Famotidine: 20 mg PO x1 dose □ Other pre-meds: □ Refill x one year			IV Flush Orders:  ☐ Peripheral: NS 1-3 mL before/after use ☐ Implanted VAD: NS 5 to 10 mL before/after use and 10 mL post-lab draw. Heparin (100 unit/mL) 3 to 5 mL final flush ☐ CVAD: NS 5 to 10 mL before/after use and 10 mL post-lab draw Heparin (10 units/mL) 3 to 5 mL final flush ☐ Refill x one year			
☐ Famotidine: 20 mg PO x1 dose ☐ Other pre-meds: ☐ Refill x one year		lab draw. H CVAD: NS ! Heparin (1	VAD: NS 5 to 10 mL be Heparin (100 unit/mL) 3 5 to 10 mL before/after .0 units/mL) 3 to 5 mL f e year	ore/after use to 5 mL fina use and 10 r	l flush	
☐ Famotidine: 20 mg PO x1 dose ☐ Other pre-meds:	ctor dual pack: Adul	lab draw. H  CVAD: NS !  Heparin (1  Refill x one	VAD: NS 5 to 10 mL be Heparin (100 unit/mL) 3 5 to 10 mL before/after .0 units/mL) 3 to 5 mL f e year	ore/after use to 5 mL fina use and 10 r	l flush	
☐ Famotidine: 20 mg PO x1 dose ☐ Other pre-meds: ☐ Refill x one year ☐ Anaphylaxis Protocol: Epinephrine Auto-Inje	<b>ctor dual pack:</b> Adu phylaxis. May repea	lab draw. H  CVAD: NS !  Heparin (1  Refill x one	VAD: NS 5 to 10 mL be Heparin (100 unit/mL) 3 5 to 10 mL before/after .0 units/mL) 3 to 5 mL f e year	ore/after us to 5 mL fina use and 10 r nal flush	l flush mL post-lab draw	
□ Famotidine: 20 mg PO x1 dose □ Other pre-meds: □ Refill x one year □ Anaphylaxis Protocol: Epinephrine Auto-Inje Administer epinephrine IM in the event of ana	<b>ctor dual pack:</b> Adu phylaxis. May repea	lab draw. H  CVAD: NS !  Heparin (1  Refill x ond  It: 0.3mg Children: 0.15  at x 1 as needed, Call 91	VAD: NS 5 to 10 mL be Heparin (100 unit/mL) 3 5 to 10 mL before/after .0 units/mL) 3 to 5 mL f e year 5 mg 11. Refill x 1yr	ore/after uso to 5 mL fina use and 10 r nal flush	I flush mL post-lab draw ation	
□ Famotidine: 20 mg PO x1 dose □ Other pre-meds: □ Refill x one year □ Anaphylaxis Protocol: Epinephrine Auto-Inje Administer epinephrine IM in the event of ana Therapy Specific Documen	ctor dual pack: Adu phylaxis. May repea tation	lab draw. H  CVAD: NS. Heparin (1  Refill x one  It: 0.3mg Children: 0.15  It x 1 as needed, Call 93  Patient De  obtain aut  H&P OR pi	VAD: NS 5 to 10 mL be Heparin (100 unit/mL) 3 5 to 10 mL before/after .0 units/mL) 3 to 5 mL f e year 5 mg 11. Refill x 1yr  Other Require emographics – include in thorization unless the in rogress note(s) n List (include prior/fail	ore/after uso to 5 mL fina use and 10 m nal flush  d Document surance info surance dicta	I flush mL post-lab draw  ation rmation. We will ates otherwise.	
□ Famotidine: 20 mg PO x1 dose □ Other pre-meds: □ Refill x one year □ Anaphylaxis Protocol: Epinephrine Auto-Inje Administer epinephrine IM in the event of ana  Therapy Specific Documen Please include the following lab results □ MuSK Test □ ACHR Test □ MG-ADL Score □ Meningococcal Vaccines (MenACWY and Mer	ctor dual pack: Adul phylaxis. May repea tation	lab draw. H  CVAD: NS. Heparin (1  Refill x one  It: 0.3mg Children: 0.15  It x 1 as needed, Call 91  Patient De obtain aut H&P OR pi Medication	VAD: NS 5 to 10 mL be Heparin (100 unit/mL) 3 5 to 10 mL before/after .0 units/mL) 3 to 5 mL f e year 5 mg 11. Refill x 1yr  Other Require emographics – include in thorization unless the in rogress note(s) n List (include prior/fail	ore/after uso to 5 mL fina use and 10 m nal flush  d Document surance info surance dicta	I flush mL post-lab draw  ation rmation. We will ates otherwise.	
□ Famotidine: 20 mg PO x1 dose □ Other pre-meds: □ Refill x one year □ Anaphylaxis Protocol: Epinephrine Auto-Inje Administer epinephrine IM in the event of ana  Therapy Specific Documen Please include the following lab results □ MuSK Test □ ACHR Test □ MG-ADL Score □ Meningococcal Vaccines (MenACWY and Mer	ctor dual pack: Adul phylaxis. May repea tation	lab draw. H  CVAD: NS !  Heparin (1  Refill x one  It: 0.3mg Children: 0.15  It x 1 as needed, Call 91  Patient De  obtain aut  H&P OR pr  Medication  steroid use	VAD: NS 5 to 10 mL be Heparin (100 unit/mL) 3 5 to 10 mL before/after .0 units/mL) 3 to 5 mL f e year 5 mg 11. Refill x 1yr  Other Require emographics – include in thorization unless the in rogress note(s) n List (include prior/fail	ore/after uso to 5 mL fina use and 10 m nal flush  d Document surance info surance dicta	I flush mL post-lab draw  ation rmation. We will ates otherwise.	
□ Famotidine: 20 mg PO x1 dose □ Other pre-meds: □ Refill x one year □ Anaphylaxis Protocol: Epinephrine Auto-Inje Administer epinephrine IM in the event of ana Therapy Specific Document Please include the following lab results □ MuSK Test □ ACHR Test □ MG-ADL Score □ Meningococcal Vaccines (MenACWY and Merula Other □ Other	ctor dual pack: Adul phylaxis. May repea tation	lab draw. H  CVAD: NS !  Heparin (1  Refill x one  It: 0.3mg Children: 0.15  It x 1 as needed, Call 91  Patient De  obtain aut  H&P OR pr  Medication  steroid use	VAD: NS 5 to 10 mL be Heparin (100 unit/mL) 3 5 to 10 mL before/after 0 units/mL) 3 to 5 mL fe year 5 mg 11. Refill x 1yr  Other Require emographics – include in thorization unless the in rogress note(s) n List (include prior/faile)	ore/after uso to 5 mL fina use and 10 m nal flush  d Document surance info surance dicta	I flush mL post-lab draw  ation rmation. We will ates otherwise.	
□ Famotidine: 20 mg PO x1 dose □ Other pre-meds: □ Refill x one year □ Anaphylaxis Protocol: Epinephrine Auto-Inje Administer epinephrine IM in the event of ana Therapy Specific Documen Please include the following lab results □ MuSK Test □ ACHR Test □ MG-ADL Score □ Meningococcal Vaccines (MenACWY and Menual County of the Provider Name:	ctor dual pack: Adul phylaxis. May repea tation	lab draw. H  CVAD: NS !  Heparin (1  Refill x ond  It: 0.3mg Children: 0.15  at x 1 as needed, Call 93  Patient De  obtain aut  H&P OR pr  Medication  steroid use	VAD: NS 5 to 10 mL be Heparin (100 unit/mL) 3 5 to 10 mL before/after .0 units/mL) 3 to 5 mL fe year 5 mg 11. Refill x 1yr  Other Require emographics – include in thorization unless the introgress note(s) in List (include prior/faille)  Provider Phone:  Provider Fax:	ore/after uso to 5 mL fina use and 10 m nal flush  d Document surance info surance dicta	I flush mL post-lab draw  ation rmation. We will ates otherwise.	
□ Famotidine: 20 mg PO x1 dose □ Other pre-meds: □ Refill x one year □ Anaphylaxis Protocol: Epinephrine Auto-Inje Administer epinephrine IM in the event of ana Therapy Specific Document Please include the following lab results □ MuSK Test □ ACHR Test □ MG-ADL Score □ Meningococcal Vaccines (MenACWY and Mer □ Other	ctor dual pack: Adul phylaxis. May repea tation	lab draw. H  CVAD: NS !  Heparin (1  Refill x ond  It: 0.3mg Children: 0.15  at x 1 as needed, Call 93  Patient De  obtain aut  H&P OR pr  Medication  steroid use	VAD: NS 5 to 10 mL be Heparin (100 unit/mL) 3 5 to 10 mL before/after .0 units/mL) 3 to 5 mL fe year 5 mg 11. Refill x 1yr  Other Require emographics – include in thorization unless the introgress note(s) in List (include prior/faille)  Provider Phone:  Provider Fax:	ore/after uso to 5 mL fina use and 10 m nal flush  d Document surance info surance dicta	I flush mL post-lab draw  ation rmation. We will ates otherwise.	

CONFIDENTIALITY NOTICE: The following includes confidential, proprietary information that is the sole exclusive property of KabaFusion Holdings, LLC. No rights in, relating to, or derived from such information are assigned or otherwise transferred by this document, and the recipient of such information is subject to obligations of secrecy to and for the benefit of KabaFusion Holdings, LLC. Any unauthorized use or disclosure of such information is strictly prohibited. This message, together with any attachments, is intended only for the use of the individual or entity to which it is addressed and may contain information that is confidential and prohibited from disclosure. If you are not the intended recipient, you are hereby notified that any dissemination, or copying of this message, or any attachment, is strictly prohibited. If you have received this message in error, please notify the original sender immediately by telephone or by return fax and shred this document along with any other documents. Thank you.

Date: